	Application No.	Applicant(s)
Notice of Allowability		
	10/064,551 Examiner	AVINASH ET AL.
	Seyed Azarian	2627
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 12/16/2005.		
2. The allowed claim(s) is/are 1-8,10-13 and 1 20, now renumbered as 1-18.		
 3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) ☐ hereto or 2) ☐ to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat 8), 7. ☐ Examiner's Amendn	nent/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Stateme	nt of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 10/064,551

Art Unit: 2627

REASONS FOR ALLOWANCE

- 1. Based on applicant's amendment, filed 12/16/2005, see page 8 through 12 of the remarks, with respect to amended claims 1-8, 10-13 and 15-20, have been fully considered and are persuasive and upon further consideration the art rejection of 35 U.S.C. 102(e) and 103(a) for claims 1-8, 10-13 and 15-20, are hereby withdrawn.
- 2. Claims 1-8, 10-13 and 15-20, now renumbered, as 1-18 is allowable.
- 3. The following is an examiner's statement of reasons for allowance.

The instant invention generally relates to imaging system and more particularly to a method to improve the display of temporal changes.

With respect to claim 1, based on applicant amended claims, the closest prior art of Xe and Song do not disclose or suggest, among other things, "a comparison module adapted to receive segmentation signal and registration signal, comparison module further adapted to generate therefrom an adaptive comparison signal of first image signal and second image signal, wherein comparison module further adapted to generate adaptive comparison signal of first image signal and second image signal and second image signal through an enhanced division method including, $(S1*S2)/(Sg*Sg+*\Phi)$.

Additionally with respect to claims 10 and 17, the closest prior art of Xe and Song do not disclose or suggest, among other things, "registering at least one region of interest wherein registration further comprises registering a major region of interest of object within first image signal and second image signal through at least one warped transformation criterion including multi-region, multi-scale, pyramidal logic, wherein the method comprises highlighting changes between first image signal and second image signal with a different cost function at each of a plurality of scales generating a registration signal.

These key features in combination with all of the other features of the claimed invention are neither taught nor suggested by (Xe and Song).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact Information

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Seyed Azarian whose telephone number is (571) 272-7443. The examiner can normally be reached on Monday through Thursday from 6:00 a.m. to 7:30 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bhavesh Mehta, can be reached at (571) 272-7453. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application information Retrieval (PAIR) system. Status information for published application may be obtained from either Private PAIR or Public PAIR.

Status information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Seyed Azarian
Patent Examiner
Group Art Unit 2625
January 7, 2006

SANJIV SHAH